HP LaserJet Pro MFP M225 series



Improve productivity with automatic two-sided printing and wireless connectivity options.¹

This powerful MFP increases productivity with automatic two-sided printing, an intuitive touchscreen with scan-to options, easy wireless connectivity, built-in networking, security features, and mobile printing options.



(HP LaserJet Pro MFP M225dn)



(HP LaserJet Pro MFP M225dw)

Designed for productivity

- Save time and help reduce paper costs, using reliable automatic two-sided printing and copying.
- Scan and send digital files directly to a USB drive, the cloud, email, or network folders.²
- Work smarter—access content and quickly launch tasks from the 3-inch colour touchscreen.³
- Improve office efficiency with the automatic document feeder and included, 1,500-page toner cartridge.⁹

Connect and protect your MFPs

- Connect, manage, and help keep data secure with built-in features.
- Start printing, scanning, and copying right away with painless setup.⁴
- Easily print from virtually anywhere in the office using Ethernet and wireless connectivity. 1
- Connect via USB, and access tools at your PC to manage your MFP and supplies.

Printing made mobile8

- Send print jobs quickly and efficiently—wirelessly without a network.5
- Easily print from mobile devices at work, home, or on-the-go with this Mopria-certified MFP.^{6,8}
- Quickly print from your iPhone®, iPad®, and iPod touch®, using Apple® AirPrint™—no setup or apps required.⁷
- Just walk up and print on this MFP from your USB drive, using the easy-access USB port.

¹ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

² Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see by connected com

and agreements. For details, see hpc.nc/services Requires a wireless access point and an Internet connection to the printer. Services may require registration. App availability varies by country, large year and agreements. For details, see he com/ga/oprintenter.

country, language, and agreements. For details, see hp.com/go/eprintcenter
4 HP Auto Wireless Connect may not be available for all system configurations. Wireless performance is dependent on physical

environment and distance from access point. For information on compatibility, visit hp.com/qo/autowirelessconnect Wireless direct printing is standard on the HP LaserJet Pro MFP M225dw only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

⁶ Requires an Internet connection to an HP web-enabled printer and HP ePrint account registration. For a list of eligible printers, supported documents and image types, and other HP ePrint details, see <u>hpconnected.com</u>. Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.
⁷ Supports Apple® OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or

⁷ Supports Apple® OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Performance is dependent on physical environment and distance from the wireless access point. Wireless operations are compatible with 2.4 GHz routers only.

b Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See https://doi.org/10.1007/nobileprinting for more details. Some features require purchase of optional module.

⁹ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For more information, visit: hp.com/gg/learnaboutsupplies

Product walkaround

- 1 35-sheet automatic document feeder (ADF)
- 2 Flatbed scanner handles up to 8.5×14 in $(216 \times 356 \text{ mm})$ paper
- 3 100-sheet output bin
- 4 Power on/off button
- 5 Intuitive 3-inch (7.62 cm) colour touchscreen (M225dw model only)
- 6 10-sheet priority input tray 1
- 7 250-sheet main input tray 2
- 8 Handle for opening top cover (access to the toner cartridge)
- 9 Easy-access USB port (M225dw model only)
- 10 Rear door (access for clearing jams)
- 11 Built-in automatic two-sided printing
- 12 Built-in wireless networking (M225dw model only)
- 13 600 MHz processor, 256 MB RAM
- 14 Fast Ethernet network port
- 15 Hi-Speed USB 2.0 printing port
- 16 Fax "line in" port
- 17 Telephone "line out" port
- 18 Power connection

HP LaserJet Pro MFP M225dw shown





Series at a glance





Model	HP LaserJet Pro MFP M225dn	HP LaserJet Pro MFP M225dw
Part number	CF484A	CF485A
Functions	Print, copy, scan, and fax	Print, copy, scan, and fax
Print speed (black, normal)¹	Up to 26 ppm, letter (up to 25 ppm, A4)	Up to 26 ppm, letter (up to 25 ppm, A4)
Control panel	2-line LCD (text)	3-inch (7.6 cm) colour touchscreen
Automatic two-sided printing	1	/
Automatic document feeder	35-sheet	35-sheet
Easy-access USB port	No	/
Networking	Built-in Ethernet	Built-in Ethernet, Wi-Fi 802.11b/g/n
Mobile printing capability	HP ePrint, Apple® AirPrint™, Mopria-certified	HP ePrint, Apple AirPrint, HP wireless direct printing, Mopria-certified

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit <u>hp.com/go/printservices</u>

Top Features

Finish a full range of document tasks—fast. Automatically print and copy two-sided documents, scan documents to their destination, and more—all from the large, intuitive touchscreen.

Set up for success. Connect this MFP to a wireless or Ethernet network with ease. Built-in networking, security features, and management tools help protect data and streamline workflows.

Meet pressing business demands—even when you're out of the office. Mobile printing options help you save time, and work at the speed of business.²

Supplies		
CF283A	HP 83A Toner Cartridge (~1,500 pages)	
CF283X	HP 83X Toner Cartridge (~ 2,200 pages)	
HP Care Packs		
UH757E	HP 3-year Care Pack w/Next Day Exchange for LaserJet Printers	
UH773E	HP 3-year Care Pack w/Onsite Exchange for LaserJet Printers	
UH764E	HP 3-year Care Pack w/Return to Depot Support for LaserJet Printers	

¹ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

² Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <u>hp.com/go/mobileprinting</u> for more details. Some features require purchase of optional module.

HP LaserJet Pro MFP M225 series

AiO functions Print Duplex print options Print speed¹ First page out Print resolution Print resolution technologies Print technology Mobile printing capability² Standard print languages Printer management	Automat Normal, A4: Up to 25 ppm; Normal, letter: Up to 26 ppm A4/letter, reac Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HF	O multitasking supported: Yes tic (standard) m; Duplex (A4): Up to 15 ipm; Duplex (letter): Up to 16 ipm dy: As fast as 8 sec i; Black (normal): Up to 4800 x 600 dpi		
Print Duplex print options Print speed¹ First page out Print resolution Print resolution Print technologies Print technology Mobile printing capability² Standard print languages Printer management	Automat Normal, A4: Up to 25 ppm; Normal, letter: Up to 26 ppm A4/letter, reac Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HF	tic (standard) m; Duplex (A4): Up to 15 ipm; Duplex (letter): Up to 16 ipm dy: As fast as 8 sec		
Duplex print options Print speed' First page out Print resolution Print resolution technologies Print technology Mobile printing capability' Standard print languages Printer management	Normal, A4: Up to 25 ppm; Normal, letter: Up to 26 ppm A4/letter, reac Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HE	m; Duplex (A4): Up to 15 ipm; Duplex (letter): Up to 16 ipm dy: As fast as 8 sec		
Print speed ¹ First page out Print resolution Print resolution technologies Print technology Mobile printing capability ² Standard print languages Printer management	Normal, A4: Up to 25 ppm; Normal, letter: Up to 26 ppm A4/letter, reac Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HE	m; Duplex (A4): Up to 15 ipm; Duplex (letter): Up to 16 ipm dy: As fast as 8 sec		
First page out Print resolution Print resolution technologies Print technology Mobile printing capability ² Standard print languages Printer management	A4/letter, reac Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HF	dy: As fast as 8 sec		
Print resolution Print resolution technologies Print technology Mobile printing capability ² Standard print languages Printer management	Black (best): Up to 1200 x 1200 dp HP ProRes 1200, HF			
Print resolution technologies Print technology Mobile printing capability ² Standard print languages Printer management	HP ProRes 1200, HF	n, black (normal). Op to 4000 x 000 apr		
Print technology Mobile printing capability ² Standard print languages Printer management				
Mobile printing capability ² Standard print languages Printer management				
Standard print languages Printer management		Laser		
Printer management	HP ePrint, Apple AirPrint™, Mopria-certified	HP ePrint, Apple AirPrint™, Mopria-certified, Wireless direct printing		
		5, PS, PCLm, PDF		
	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); HP Scan; Fax setup Wizard; HP Send Fax; LockSmith; FMS; RM; Mac; HP Utility	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install HP Web Jetadmin (download); HP Scan; Scan to Email Wizard; Scan to Network Folder Wizard; Fa setup Wizard; HP Send Fax; LockSmith; FMS; RM; Mac: HP Utility		
Scan				
Scan type/technology	Type: Flatbed, ADF; Technol	logy: Contact Image Sensor (CIS)		
Scan speed	Normal, A4: Up to 14 ppm (b&w), up to 5 ppm (colour)			
Scan resolution	Hardware: Up to 300 x 300 dpi (colour and mono, ADF); Up to 600 x 600 dpi (colour, flatbed); Up to 1200 x 1200 dpi (mono, flatbed); Optical: Up to 300 dpi (colour and mono, ADF); Up to 600 dpi (colour, flatbed): Up to 1200 dpi (mono, flatbed)			
Scan file format	JPE	EG, PDF		
Scan input modes	Windows: Scanning via HP LaserJet Scan; Macintosh: HP Director or TWAIN-compliant or WIA-compliant software	Windows: Front control panel, Scanning via HP LaserJet Scan; Macintosh: HP Director or TWAIN-compliant or WIA-compliant software		
Scan size maximum	Flatbed: 216 x 3	356 mm (8.5 x 14 in)		
Bit depth/Grayscale levels	Bit Depth: 24-bit; Grayscale: 256			
Сору				
Copy speed ³	Normal, A4: Up to 25 cpm black;	; Normal, letter: Up to 26 cpm black		
Copy resolution	Black (text): Up to 600 x 600 dpi;	Black (graphics): Up to 600 x 600 dpi		
Max no of copies	Up to 99 copies			
Copier resize	25 to 400%			
Copier settings		ker); Resolution (Copy quality); ID copy; Copy optimization; Auto Select Copy Mode; Manual duplex		
Fax	op to 33 mattple copies, collation, reduce, Entarge nom 237/ to 1007/, contrast (Eighter) But	ner, resolution (copy quality), is copy, copy optimization, rate select copy riode, randat depen		
Fax speed	33.6 khnc: 3 cr	os par pago (lottor)		
	33.6 kbps; 3 sec per page (letter) Up to 120 numbers (119 group dials)			
Fax speed dialing (max numbers)	Black (standard): 203 x 98 dpi; Black and White (fine): 204 x 196 dpi; Black Photo Grayscale: 300 x 300 dpi (halftone enabled); Black and White (superfine): 300 x 300 dpi (no halftone)			
Fax resolution				
Fax features		tive ring detection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Ye umbers (119 group dials); PC interface supported: Yes		
Connectivity				
Standard connectivity		rnet 10/100Base-TX network port; Phone line port (in/out)		
Network ready	Standard (built-in Ethernet)	Standard (built-in Ethernet, WiFi 802.11b/g/n)		
Network capabilities	10/100	0 Ethernet		
Wireless capability	No No	Yes, built-in WiFi 802.11b/g/n		
Memory	21	56 MB		
Energy saving features	HP Auto-	-On/Auto-Off		
Digital sending features	No	Scan to email; Scan to network folder		
Processor speed		00 MHz		
Duty cycle (monthly)4		nonthly page volume:5 500 to 2,000 pages		
Paper handling	op to 13,000 pages, Recommended in	ontiny page votaine: 300 to 2,000 pages		
	200 shart is a tary 10 shart sight to 25 shart A tary 10 shart (ADC)			
Input	250-sheet input tray, 10-sheet priority tray, 35-sheet Automatic Document Feeder (ADF)			
Output	100-sheet output bin			
Media type	Paper (heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, postcards			
Media weight	60 to 163 g/m² (16 to 43 lb)			
Media sizes (duplex)	A4 (Letter; Legal)			
Media sizes custom	Priority Tray: 76 x 127 to 216 x 356 mm; 250-sheet Tray 2: 76 x 187 to 216 x 356 mm			
Dimensions	442.5 x 288.7 x 371.3 mm (17.42 x 11.37 x 14.6 in)			
(W x D x H)	Max: 442.5 x 407.7 x 371.3 mm (17.42 x 16.05 x 14.6 in)			
Weight What's in the box ⁶	11.1 kg (24.4 lb) Printer; Introductory HP Laser Jet Black Print Cartridge (~1,500 pages); CDs containing device software and electronic User's Guide; Installation Guide; Support flyer; Power cord(s);			
Warranty features	USB cable (where applicable); Fax cable One-year limited warranty			
	one-year united warranty			
Systems	5.11 (t	165-do 7 (22.0 C4 bit) 165-do 165-b (22.0 C4 bit) 165-do 170 (22.bit) (602.bit) 165-do		
Compatible operating systems	Full software installs supported on: Windows 8.1 (32 & 64-bit), Windows 8 (32 & 64-bit), Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows XP (32-bit) (SP2 or higher); Driver only installs (by CD) supported on: Windows Server 2008 (32 & 64-bit), Windows Server 2003 (32-bit) (SP1 or higher), Windows Server 2003 R2 (32-bit), Windows Server 2008 R2 (64-bit), Driver only installs (by APW) supported on: Windows 8 (132 & 64-bit), Windows 8 (32 & 64-bit), Windows Server 2008 R2 (32 & 64-bit), Windows Server 2012 R2 (64-bit), Windows Server 2012 R2 (64-bit), Windows Server 2003 R2 (32 & 64-bit), Windows Server 2003 R2 (32 & 64-b			
Minimum system requirements	PC: Windows 8.1 (32 & 64-bit), Windows 8 (32 & 64-bit), Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows Server 2008 R2 (32 & 64-bit), Windows Server 2008 R2 (32 & 64-bit), Windows Server 2008 R2 (32 & 64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) (SP2 or higher); Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 (32-bit) (SP1 or higher), Windows Server 2003 R2 (32-bit): 1 GHz (32-bit) (MB) processor, 1 GB RAM (32-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 R2 (32-bit): 1 GHz (32-bit) (MB) processor, 1 GB RAM (32-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 R2 (32-bit): 1 GHz (32-bit) (MB) processor, 1 GB RAM (32-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 R2 (32-bit): 1 GHz (32-bit) (MB) processor, 1 GB RAM (32-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 R2 (32-bit): 1 GHz (32-bit) (MB) processor, 1 GB RAM (32-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 R2 (32-bit): 1 GHz (32-bit)			
	Operating temperature range: 15 to 32.5° C (59 to 90.5° F); Recommended operating temperature: 17.5 to 25° C (62.6 to 77° F); Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH			
Environmental ranges	Operating humidity range: 10 to 80% RH: Recoi			
		stic pressure emissions: 50 dB(A); Acoustic pressure emissions bystander (ready): Inaudible		
Acoustic Power	Acoustic power emissions: 6.4 B(A); Acoustic Power Emissions (ready): inaudible; Acoust Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), power supply varies by part number with # Option code identifier); Power consumption	stic pressure emissions: 50 dB(A); Acoustic pressure emissions bystander (ready): inaudible 5.4 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.9 A (Not dual voltagu: 470 watts (Active, Printing), 4.5 watts (Ready), 0.1 watts (Auto-Off), 0.1 watt (Manual-Off)		
Acoustic Power	Acoustic power emissions: 6.4 B(A); Acoustic Power Emissions (ready): inaudible; Acoust Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), power supply varies by part number with # Option code identifier); Power consumption 2-line LCD (text)	stit pressure emissions: 50 dB(A); Acoustic pressure emissions bystander (ready): Inaudible 5.4 A; 220-volt input voltage: 220 to 240 VAC (**-1 096), 50/50 Hz (*/- 2 Hz), 2.9 A (Not dual voltage '470 watts (Active, Printing), 4.5 watts (Ready), 0.1 watts (Auto-Off) .1 watt (Manual-Off) 3.0" touchscreen, LCD (colour graphics)		
Environmental ranges Acoustic Power Display Software included	Acoustic power emissions: 6.4 B(A); Acoustic Power Emissions (ready): inaudible; Acoust Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), power supply varies by part number with # Option code identifier); Power consumption 2-line LCD (text) Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Stat	stic pressure emissions: 50 dB(A); Acoustic pressure emissions bystander (ready): inaudible 5.4 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.9 A (Not dual voltage: 2470 watts (Active, Printing), 4.5 watts (Ready), 0.1 watts (Auto-Off), 0.1 watt (Manual-Off)		

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver,

⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

5 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

extentive warranty period.

6 Introductory cartridge included; declared yield based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <u>hp.com/qo/learnaboutsupplies</u>

7 Power reported is highest values measured for all product models using all standard voltages. Values are based on preliminary data, see <u>hp.com/qo/lim1530_regulatory</u> for current information.

To learn more, visit hp.com

© Copyright 2014-2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty.

HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc.



and document complexity.

Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see https://documents.page-12 and image types, see <a href="htt